OWNER'S MANUAL

Aldren Wooden Bed Set



Aldren's tall framed headboard, raised panel footboard and turned legs give this classic wooden bed set its character. A solid Sheesham structure supports the bed, with real Sheesham veneer on larger plywood or MDF panels.

Product At A Glance

BED SIZE REFERENCES King: 72 in W x 78 in L Queen: 66 in W x 78 in L	**HEADBOARD** Framed wooden panel Listed height: 56 in (142 cm)
WOOD MATERIAL Solid Sheesham main frame Sheesham-veneered panels	**BED DETAILS** Raised panel footboard Turned wooden legs
SIDE TABLES 2 matching bedside tables 1 drawer + open shelf each	**ORDER NOTES** Mattress not included Confirm fit and assembly

Before First Use

- Check the bed, both tables and supplied fittings on delivery. Report visible damage or missing items within 48 hours.
- Confirm mattress fit and full exterior clearance before use. Listed size references may differ from assembled outer dimensions.

CARE & MAINTENANCE

Care For Wood And Veneer

Aldren combines a seasoned solid Sheesham supporting structure with finished, real-wood-veneered panels. Simple, careful maintenance helps protect its grain, moulded edges and everyday function.

DUST & CLEAN	Wipe finished wood with a clean, soft cloth. Use a gentle brush around moulded borders and grooves.
VENEER PANELS	Keep surfaces dry. Avoid soaking, abrasive pads, solvents and harsh cleaners that may damage veneer or polish.
SPILLS & MOISTURE	Blot spills promptly, then dry the surface. Do not place the bed against damp walls or wet flooring.
LIGHT & HEAT	Limit prolonged direct sunlight and keep the furniture away from heaters or intense heat sources.
BEDSIDE TABLES	Open drawers using their handles. Keep shelves reasonably loaded, and do not pull the tables by the drawers.
MOVING THE SET	Empty the tables; dismantle the bed as advised by ROCO. Lift structural sections rather than dragging them.

PLACEMENT & SUPPORT

Set It Well.
Keep It Secure.

Aldren is designed for dry indoor residential use. Its tall headboard, raised footboard and turned legs need a level floor and adequate clearance for safe, comfortable use.

Placement & Assembly

- Check the complete bed footprint, mattress fitting and access through doorways, stairs or lifts before delivery.
- Have ROCO or an approved installer secure the frame, support members and fittings before placing the mattress.
- Allow room to open both bedside drawers. Keep the bed clear of damp walls and standing water.
- Avoid jumping on the bed or loading the raised footboard. Stop use and contact ROCO if any section feels unstable.

Warranty Guidance

The **ROCO Confidence Warranty** assesses qualifying manufacturing and workmanship faults by component. Solid Sheesham structural parts, engineered panels, drawer hardware and finishes follow their applicable written coverage.

ROCO may inspect, adjust, repair or replace an eligible affected part. Normal wear, natural wood-grain variation, scratches, moisture damage, misuse and unauthorised repairs are excluded.

Report visible delivery damage within 48 hours and installation or missing-fitting issues within 7 days. Your confirmed order terms apply. roco.pk/warranty-policy/

ROCO CUSTOMER CARE

Need Assistance?

Contact ROCO if a frame joint feels loose, a panel or veneer develops an unusual fault, or a bedside drawer does not work as expected. Your order details and clear photographs help us review the concern.

When To Contact Us

- Report transit damage, missing pieces or the wrong item within 48 hours of delivery.
- Stop using the affected area if the bed becomes unstable or drawer movement is abnormal.
- Report concealed manufacturing concerns within the component warranty period confirmed for your order.

What To Share

Provide your invoice or order number, delivery details, photographs of the full set and the affected area. Include a short video if the problem involves movement or sound.

WHATSAPP	+92 317 6965610
EMAIL	info@roco.pk
CUSTOMER CARE	roco.pk/customer-care/
WARRANTY	roco.pk/warranty-policy/

Version 1.0 | October 2026 | Keep this manual with your order record.